

charles **adams associates** inc.

575 TECHNOLOGY SQUARE • CAMBRIDGE • MASSACHUSETTS 02139



Mr. Theodor H. Nelson
Instructor in Sociology
Vassar College
Poughkeepsie, New York 12601

Charles W. Adams Associates, Inc.
575 Technology Square
Cambridge, Massachusetts 02139

Gentlemen

- ☐ We wish to be a Corporate Sponsor of THE COMPUTER DISPLAY REVIEW and agree to pay, when invoiced, a one-time fee of \$750. It is understood that this fee includes one annual subscription to the REVIEW.
- ☐ We wish _____ annual subscriptions (in addition to the above), at the rate of \$150, sent ☐ to the same address as below, or ☐ to the addresses given on the attached sheet, billed ☐ to the same address as below or ☐ to the addresses given on the attached sheet. We are eligible for the \$150 rate because:
- ☐ We are a Corporate Sponsor.
 - ☐ We are a bona fide agency of the government of the United States or of Canada, both of which are Corporate Sponsors.
 - ☐ We are an accredited university, college or secondary school, for which the Corporate Sponsorship fee has been waived.
 - ☐ We believe our organization may be a Corporate Sponsor. If it is not, please advise us but do not enter this subscription order.

Name _____

Title _____

Company _____

Street _____

City _____

State _____ Zip Code _____

Purchase Order No. _____

Signature _____ Date _____



TERMS OF AGREEMENT

By making THE COMPUTER DISPLAY REVIEW available on a subscription basis to Corporate Sponsors, the substantial cost of producing it — which would be prohibitive for any one client — will be shared by interested firms and government agencies.

Corporate Sponsorship

The Corporate Sponsorship fee of \$750 is a one-time charge which includes one annual subscription to the REVIEW. This comprises the basic report, current as of the start of the subscription, the updating supplements issued at four-month intervals, and any special supplements warranted by highly significant developments in the computer display field.

Additional Subscriptions

Since many of the larger Corporate Sponsors will find it desirable that their field offices and other organizational subdivisions have copies of the REVIEW, additional annual subscriptions are available at \$150 each. Orders for additional subscriptions may accompany the Corporate Sponsorship order or be placed at any time thereafter.

Annual Renewals

Renewals of annual subscriptions, whether corporate or additional, may be made at a charge of \$150. This will entitle the subscriber to the three updating supplements issued during the year as well as the special supplements previously mentioned.

Multiple Orders

If more than one order for a Corporate Sponsorship is received from any firm, government agency or a subdivision thereof, the second and subsequent orders will be invoiced at \$150 and the subscriber informed of this change. On the other hand, if an order for a subscription at the \$150 rate is received from a subdivision of a firm or government agency that is not a Corporate Sponsor of the REVIEW, the originator of the order will be so notified and given the option of changing the order to a Corporate Sponsorship at \$750 or withdrawing the order. Information regarding the status of a prospective subscriber will be furnished by Adams Associates, upon request, prior to the placement of an order.

Order Form

The use of the order form on the reverse side of this enclosure is optional. (If used, the extra copy is for your records.) Adams Associates will be pleased to accept alternative types of procurement requests. To ensure prompt receipt of the report and supplements, complete mailing information should be given.

NEWS from

charles w. **adams associates** inc.

575 TECHNOLOGY SQUARE · CAMBRIDGE · MASSACHUSETTS 02139 ♦ (617) 491-6555

COMPUTER PROGRAMMING AND CONSULTING SERVICES

ADAMS ASSOCIATES PUBLISHES NEW REVIEW

Cambridge, Massachusetts, August 1, 1966 --- Charles W. Adams, president of Adams Associates, announced that the first issue of THE COMPUTER DISPLAY REVIEW, a publication of far-reaching significance to all who are concerned with any aspect of computer graphic displays, was mailed today to pre-publication sponsors and subscribers. These include many agencies of the Federal government and armed forces, computer and display equipment manufacturers, industrial organizations, research and development laboratories, and university computation centers --- a clear indication of the wide range of interest that alphanumeric and line-drawing displays hold for businessmen, industrialists and scientists.

In its many years of developing and working with computer-based display equipment and techniques, Adams Associates has long recognized the need for a single source of information and critical evaluation of this entire field. THE COMPUTER DISPLAY REVIEW answers this need. Divided into seven sections containing more than 500 pages of text, tabular and illustrative material, the information in it results from an intensive effort by Adams Associates during the

past year to gather, analyze and evaluate data on all display equipment now available or under development in the free world.

"As consultants rather than publishers," Mr. Adams said, "we are offering not a book but a service. To keep our subscribers abreast of the latest developments in this rapidly expanding field, a full-time staff will continue its research, visiting equipment manufacturers and field installations. New developments in display hardware, software, applications and trends will be thoroughly evaluated and information on them released in the form of supplements every four months. In addition, abstracts of timely articles on applications and techniques as well as papers contributed to or written expressly for the REVIEW by well-known specialists will be included."

By making THE COMPUTER DISPLAY REVIEW available on a subscription basis to corporate sponsors, the substantial cost of producing it --- which would be prohibitive for any one client --- will be shared by interested firms and government agencies. The corporate sponsorship fee of \$750 is a one-time charge which includes one annual \$150 subscription to the REVIEW. All additional subscriptions and renewals are \$150 a year. Since both the U.S. and Canadian governments are already corporate sponsors, all of their agencies are eligible for the \$150 subscription rate. So too are all accredited universities, colleges and secondary schools, for which the corporate sponsorship fee has been waived.



THE
COMPUTER
DISPLAY
REVIEW

VOLUME I

associates



THE
COMPUTER DISPLAY
REVIEW

CONTENTS

| | |
|---|----|
| I. Introduction | 1 |
| Historical Background | 1 |
| Outline of Application Areas | 2 |
| Outline of Display Device Fundamentals | 4 |
| Framework for Equipment Descriptions | 4 |
| Bases for Comparative Evaluations | 5 |
| Recent Trends | 5 |
| Combined Scientific and Business Systems | 6 |
| Simultaneous Input-Output | 6 |
| On-Line Data Storage | 7 |
| Programming Systems | 7 |
| Multiprogramming and Time-Sharing | 7 |
| Multiprocessing | 8 |
| II. Computer Display Fundamentals | 1 |
| Introduction | 1 |
| Use of Digital Computers in Display Systems | 1 |
| Principles of Cathode Ray Tube Design and Operation | 1 |
| Data Buffers | 2 |
| Display Processors | 3 |
| Character Generators | 3 |
| Line Generators | 4 |
| Alphanumeric Keyboards | 4 |
| Light Pens and Pointers | 5 |
| Function Switches | 6 |
| Hardware Engineering Concepts | 7 |
| Cathode Ray Tube Technology | 7 |
| Electrostatic and Electromagnetic | 7 |
| Focusing and Deflection | |
| Composite Cathode Ray Tubes | 11 |
| Phosphor and Persistence | 13 |
| The Human Eye and Flicker-Free Rates | 16 |
| Summary of Phosphor Characteristics | 18 |
| Display Rasters | 19 |
| Beam-Spot Size | 19 |

| | |
|---|----|
| Incremental Displays and Resolution | 24 |
| Continuous Scan Displays | 27 |
| Character Generators | 32 |
| Point Generators | 33 |
| Stroke Generators | 38 |
| Restricted Stroke | 38 |
| Alphanumeric Display Consoles | 42 |
| Buffered Output | 42 |
| Buffered Input-Output | 44 |
| Line-Drawing Consoles | 47 |
| Basic Display Output Units | 47 |
| Points | 49 |
| Line Drawings | 50 |
| Buffered Input-Output | 53 |
| Display Processors | 57 |
| Data Commands | 58 |
| Control Commands | 58 |
| Input Devices | 59 |
| Alphanumeric Keyboards | 59 |
| Light Pens | 60 |
| Rand Tablet and Voltage Pens | 60 |
| Track Balls and Joy Sticks | 62 |
| Function Switches | 62 |
| Software Techniques | 66 |
| Data Structures | 66 |
| Point Representation of Graphic Data | 66 |
| Matrix Representation of Graphic Data | 72 |
| Rotation, Translation and Scaling of Parametric Matrices | 81 |
| Conversion to Parametric from Implicit Form | 83 |
| Conversion to Implicit from Parametric Form | 85 |
| Surfaces | 85 |
| Hierarchical Levels | 88 |
| View Control | 92 |
| View Box Manipulation | 92 |
| View Box Clipping | 94 |
| Two-Dimensional Clipping of Line Segments | 95 |
| Matrix Clipping | 96 |
| Magnification | 98 |
| Display Generation | 99 |
| Line Generation: Divide Method | 99 |

| | |
|---|-----|
| Line Generation: Slope Method | 99 |
| Circle Generation | 101 |
| Ellipse Generation | 101 |
| Hyperbola Generation | 102 |
| Parabola Generation | 102 |
| Conic Generation from Parametric Matrix | 102 |
| Line-Type Control | 104 |
| Beam Lag | 104 |
| Display Buffer Storage | 105 |
| Pen Touching | 108 |
| Pen Tracking | 110 |
| Pen Position Prediction | 113 |
| Pseudo Pen Position | 114 |
| Constraint of the Pseudo Pen Position | 115 |
| Sketching | 117 |
| Constructs | 118 |

Contributed Papers

"Graphical Communication and Control Languages"

Dr. Lawrence G. Roberts
M.I.T. Lincoln Laboratory

"The Coral Language and Data Structure"

Dr. William R. Sutherland
M.I.T. Lincoln Laboratory

"Homogeneous Matrix Representation and Manipulation of N-Dimensional Constructs"

Dr. Lawrence G. Roberts
M.I.T. Lincoln Laboratory

III. Applications 1

| | |
|------------------------|---|
| Alphanumeric Consoles | 1 |
| Inquiry Stations | 1 |
| Stock Quotations | 3 |
| Airline Reservations | 3 |
| Freight Car Schedules | 3 |
| Direct Data Input | 3 |
| Process Control | 4 |
| Responsive Programming | 4 |

| | |
|--|-------|
| Line-Drawing Consoles | 6 |
| Engineering Drawings | 6 |
| Architecture | 11 |
| Design Automation | 15 |
| Highways | 16 |
| Mechanical Parts | 16 |
| Circuits | 17 |
| Digital Logic | 17 |
| Data Reduction and Analysis | 17 |
| Process Control | 19 |
| Closed-Loop Systems | 19 |
| Open-Loop Systems | 19 |
| Information for Management | 21 |
| Military Command-Control | 23 |
| Animation | 23 |
| IV. Alphanumeric Display Equipment: | 1 |
| Descriptions and Evaluation | |
| Definitions of Descriptive Terms | 2 |
| Cathode Ray Tube Design | 2 |
| Refresher Memory | 3 |
| Input Devices | 3 |
| Auxiliary Equipment | 4 |
| Controller Capacity | 4 |
| Controller Interfaces | 4 |
| Character Generation and Display | 5 |
| Alphanumeric Text Test Display | 5 |
| Descriptions of Alphanumeric Display Systems | 7 |
| Teleregister 200 Display System | 10 |
| Teleregister 400 Flight Information System | 20 |
| Control Data 210 (1,000-character model) | 30 |
| Datanet 750/760 System | 40 |
| IBM 2260 Display Station | 50 |
| IBM 2848 Display Control | 50 |
| RCA Video Data Systems | 60 |
| Raytheon DIDS-400 Display System | 70 |
| Sanders 720 Communicator System | 80 |
| S-C 1100 Inquiry Display System | 90 |

| | |
|--|-------|
| Comparative Evaluation of Alphanumeric Display Equipment | 101 |
| Code Compatibility | 101 |
| Character Size | 102 |
| Displayed Character Capacity | 102 |
| Editing Capability | 105 |
| Expansion | 107 |
| Cost per Character | 110 |
| Cost of System Expansion | 112 |
| Conclusions | 112 |
| V. Line-Drawing Display Equipment: Descriptions and Evaluation | 1 |
| Definitions of Descriptive Terms | 3 |
| Cathode Ray Tube Design | 3 |
| Refresher Memory | 4 |
| Input Devices | 5 |
| Auxiliary Equipment | 5 |
| Controller Capacity | 5 |
| Controller Interfaces | 6 |
| Line Generation | 6 |
| Character Generation | 6 |
| Display Timing | 7 |
| Flicker-Free Capacity | 7 |
| Memory Words Required | 8 |
| Test Displays | 8 |
| Descriptions of Line-Drawing Display Systems | 8 |
| BR-90 Visual Analysis Console | 20 |
| Control Data 250 Digital Data Display | 30 |
| Control Data Digigraphic System 270 | 40 |
| Control Data 280 Digital Data Display | 50 |
| DEC 338 Programmed Buffered Display | 60 |
| IDI Series 10000 Computer Controlled Display | 70 |
| IBM 2250 Display Unit | 80 |
| ICT 1830 Graphical Display | 90 |
| ITT Modular Alter and Compose Console | 100 |
| Philco READ System | 110 |
| SDS 9185 Display System | 120 |
| S-C 1000 Series Direct View Displays | 130 |
| SEL Model 80/806 Display System | 140 |

| | |
|---|-----|
| SEL Model 80/816 Display System | 150 |
| TIC 922 Modular Display System | 160 |
| Comparative Evaluation of Line-Drawing Display Equipment | 201 |
| Flicker-Free Frame Rates | 201 |
| Multiple Displays per Controller | 202 |
| Point Positioning | 202 |
| Line Drawing | 206 |
| Text Display | 211 |
| Test Patterns | 214 |
| Programming | 214 |
| VI. Related Graphic Display Equipment: Descriptions | 1 |
| Film and Hardcopy Recorders: | |
| B-L 120 Microfilm Printer/Plotter | 10 |
| CalComp 835 Electronic Digital Plotting System | 20 |
| Control Data 280 Microfilm Recorder | 30 |
| Control Data 280 Hardcopy Recorder | 40 |
| IBM 2280 Film Recorder | 50 |
| S-C 4020 Computer Recorder | 60 |
| Film Readers: | |
| PFR-1 Programmable Film Reader | 100 |
| PFR-3 Programmable Film Reader | 110 |
| IBM 2281 Film Scanner | 120 |
| Miscellaneous Display Equipment: | |
| Grafacon 1010 Digital Graphic Input System | 200 |
| Sanders PHOTOPEN Light Sensing System | 210 |
| VII. Current Research and Future Developments | |
| Contributed Papers | |
| "New Methods for Displaying Curves" | |
| Timothy E. Johnson | |
| Mechanical Engineering Department | |
| Massachusetts Institute of Technology | |

"Analog Generator for Real-Time Display
of Curves" (Technical Report 398)

Timothy E. Johnson
M.I.T. Lincoln Laboratory

Appendixes

| | |
|--------------------------------------|---|
| A. Directory of Manufacturers | 1 |
| B. Time-Sharing | 1 |
| Turn-around Time | 1 |
| On-Line Time-Sharing Remote Consoles | 2 |
| Facility Sharing | 3 |
| Time-Sharing Hardware Features | 5 |
| Memory Protection | 5 |
| Executive and User Modes | 7 |
| Program Relocation and Paging | 8 |
| C. Editorial Notes | |

Figures

Section I

| | |
|---------------------------------|---|
| 1. Typical Graphic Display Unit | 3 |
|---------------------------------|---|

Section II

| | |
|---|----|
| 2. Basic Electrostatic Cathode Ray Tube | 8 |
| 3. Basic Electromagnetic Cathode Ray Tube | 9 |
| 4. Basic Electromagnetic-Electrostatic Cathode Ray Tube | 12 |
| 5. Kelly Chart of Color Designations for Lights | 14 |
| 6. Phosphor Spectral-Energy Emission Characteristics | 15 |
| 7. Phosphor Persistence Characteristics | 17 |
| 8. Color Response of the Human Eye | 20 |

| | |
|---|-----|
| 9. Light Color and Critical Frequency of the Human Eye (Overall) | 21 |
| 10. Light Color and Critical Frequency of the Human Eye (Magnified) | 22 |
| 11. White Light and Critical Frequency of the Human Eye | 23 |
| 12. Raster Intervals and Line Drawing | 26 |
| 13. Continuous Scan on a Coordinate Grid | 28 |
| 14. Standard Television Interlaced Scan | 30 |
| 15. Modified Continuous Scan | 31 |
| 16. Character Generation with Interlaced Scan | 34 |
| 17. Character Generation with Modified Scan | 35 |
| 18. 5 x 7 Matrix | 36 |
| 19. Characters Generated by Point Positioning on 5 x 7 Matrix | 37 |
| 20. Characters Generated by Line Positioning on 5 x 7 Matrix | 39 |
| 21. Characters Generated by Line Positioning on Starburst Matrix | 40 |
| 22. Characters Generated by Line Positioning on Modified Starburst Matrix | 41 |
| 23. Basic Alphanumeric Display Unit | 43 |
| 24. Buffered Alphanumeric Display Unit | 45 |
| 25. Buffered Alphanumeric Input-Output Unit | 46 |
| 26. Basic Display Unit | 48 |
| 27. Line Drawing by Point Positioning | 51 |
| 28. Basic Line-Drawing Display Unit | 52 |
| 29. Methods of Line Designation | 54 |
| 30. Buffered Line-Drawing Display Unit | 55 |
| 31. Buffered Line-Drawing Input-Output Unit | 56 |
| 32. Light Pen | 61 |
| 33. Rand Tablet | 63 |
| 34. Function Switches | 65 |
| 35. Overall Hardware-Software System | 67 |
| 36. Typical Entity List Schemes | 68 |
| 37. Quadric Bounded by X,Y,Z Planes and Sliced for Display | 87 |
| 38. Hierarchical Entities | 90 |
| 39. Ringed Entities | 91 |
| 40. View Box Control | 93 |
| 41. Subroutined Display Buffers | 109 |
| 42. Tracking Methods | 111 |
| 43. Pseudo Point Constraints | 116 |

Section III

| | |
|--|----|
| 44. Methods of Interfacing Display Units | 2 |
| 45. Formatted Data Input | 5 |
| 46. Engineering Drawing Detail Levels | 8 |
| 47. Sketched Part of a Drawing | 10 |
| 48. Part Completed by Reflection | 12 |
| 49. Design Development | 14 |
| 50. Digital Logic Schematic | 18 |
| 51. Display of Process Variables | 20 |
| 52. Display of Movement System | 22 |

Section IV

| | |
|---|-----|
| 53. Alphanumeric Display Test Pattern | 6 |
| 54. Alphanumeric Console Character Spacing | 103 |
| 55. Alphanumeric Console Character Capacity | 104 |
| 56. Alphanumeric Console Editing Features | 106 |
| 57. Expansion of Alphanumeric Systems | 108 |
| 58. Character Capacity and Expansion | 109 |
| 59. Cost per Character | 111 |
| 60. Total System Cost | 113 |

Section V

| | |
|--|-----|
| 61. Weather Map Test Pattern | 10 |
| 62. Graph Test Pattern | 11 |
| 63. Architectural Drawing Test Pattern | 12 |
| 64. Electronic Schematic Test Pattern | 13 |
| 65. Line Drawing Displays: Points per Flicker-Free Frame | 205 |
| 66. Line Drawing Displays: Inches of Long Lines per Flicker-Free Frame | 208 |
| 67. Line Drawing Displays: Inches of Short Lines per Flicker-Free Frame | 210 |
| 68. Line Drawing Displays: Inches of Small Lines per Flicker-Free Frame | 212 |
| 69. Line Drawing Displays: Characters per Flicker-Free Frame | 213 |
| 70. Line Drawing Displays: Percent of Test Patterns per Flicker-Free Frame | 215 |

10.0

adams associates

Appendix B

71. Time-Sharing of Peripheral Devices




FIGURE 15
PARTIAL COHERENCE FUNCTION
FOR CHANL 2



FIGURE 16
POWER SPECTRAL DENSITY FUNCTION
OF CHANL 2




FIGURE 17
MODULUS OF CROSS SPECTRAL DENSITY
FUNCTION OF CHANL 8, CHANL 2




FIGURE 18
PHASE OF CROSS SPECTRAL DENSITY
FUNCTION OF CHANL 8, CHANL 2